

Banner Stand

HARDWARE INFORMATION AND

Design Templates




TABLE OF Contents

EDGE EXHIBITS

3 EZR-1

EXPAND

4 BannerStand

5 BannerStand

6 BannerStand

7 QuickScreen 3

8 QuickScreen 3

9 QuickScreen 3

10 Media Screen 1

11 Media Screen 2

12 Media Screen 1

13 Media Screen 2

14 QuickScreen 1

15 QuickScreen 2

16 Media Screen 2 Outdoor

17 Media Screen 3

TIGER

18 Sidewinder 1

19 Sidewinder 2

20 Sidewinder 1

21 Sidewinder 2

22 Sidewinder 1

23 Sidewinder 2

24 Sidewinder 1

25 Sidewinder 2

ORBUS

26 Advance (2 sided)

27 Orient 800

28 Orient 920

29 Orient 1000

30 Barracuda

31 Imagine

32 Excalibur (1 or 2 sided)

MARK BRIC

33 Banner Up

DRYTAC

34 BannerBug

35 BannerBug

36 The Retractable II

TRADESHOWPLUS.COM

37 Magic Pak

CREATIVE BANNERS

38 24" Economy Retractor

39 24" Table Top Economy Retractor


40 Jumbo Tall Retractor

SPECIFICATIONS

SIZE: 33.5" X 79"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 6"



EXPAND


BANNERSTAND

SPECIFICATIONS

SIZE: 23.625" X 86.625"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: NONE



EXPAND


BANNERSTAND

SPECIFICATIONS

SIZE: 31.375" X 86.625"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: NONE



VISUAL AREA

86.625"

31.375"

EXPAND

BANNERSTAND

SPECIFICATIONS

SIZE: 39.375" X 86.625"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: NONE

86.625"

VISUAL AREA

39.375"

6

EXPAND

QUICK SCREEN


3

SPECIFICATIONS

SIZE: 19.5" X 71"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 9"



EXPAND

QUICK SCREEN


3

SPECIFICATIONS

SIZE: 33.5" X 63" TO 88.5"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 9"



EXPAND

QUICK SCREEN

3


SPECIFICATIONS

SIZE: 39.375" X 63" TO 88.5"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 9"

EPI-Colorspace 



9

39.375"

EXPAND

MEDIA SCREEN


1

SPECIFICATIONS

SIZE: 33.4375" X 63" TO 88.5"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 9"



EXPAND

MEDIA SCREEN

2

SPECIFICATIONS

SIZE: 33.4375" X 78.75" OR 86.625"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 9"

VISUAL AREA

78.75"

86.625"

9" BLEED

33.4375"

11

EXPAND

MEDIA SCREEN

1


SPECIFICATIONS

SIZE: 39.375" X 63" TO 88.5"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 9"

EPI-Colorspace 



12

EXPAND

MEDIA SCREEN 2

SPECIFICATIONS

SIZE: 39.375" X 78.75" OR 86.625"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 9"

EPI-Colorspace 

VISUAL AREA

13

78.75"

86.625"

9" BLEED

39.375"

EXPAND
**QUICK
SCREEN**


1

SPECIFICATIONS

SIZE: 33.4375" X 78.75" OR 85.75"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 9"





EXPAND

QUICK SCREEN


2

SPECIFICATIONS

SIZE: 39.375" X 78.75" OR 85.75"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 9"



VISUAL AREA

78.75"

85.75"

39.375"

9" BLEED

15

EXPAND
**MEDIA
SCREEN 2**
OUTDOOR

SPECIFICATIONS

SIZE: 33.4375" X 70.875"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 9"

70.875"

VISUAL AREA

16

9" BLEED

33.4375"


EXPAND
**MEDIA
SCREEN**
3

SPECIFICATIONS

SIZE: 33.4375" X 63" TO 88.5"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 9"




TIGER
SIDEWINDER 1

SPECIFICATIONS

SIZE: 23.625" X 82.6875"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 6"




TIGER
SIDEWINDER 2

SPECIFICATIONS

SIZE: 23.625" X 82.6875"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 6"



TIGER

SIDEWINDER 1

SPECIFICATIONS

SIZE: 31.5" X 82.6875"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 6"

82.6875"

VISUAL AREA

31.5"

6" BLEED

TIGER


SIDEWINDER 2

SPECIFICATIONS

SIZE: 31.5" X 82.6875"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 6"



TIGER

SIDEWINDER 1

SPECIFICATIONS

SIZE: 39.375" X 82.6875"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 6"

82.6875"

VISUAL AREA

39.375"

6" BLEED

22

TIGER
SIDEWINDER 2

SPECIFICATIONS

SIZE: 39.375" X 82.6875"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 6"

82.6875"

VISUAL AREA

39.375"

6" BLEED

TIGER

SIDEWINDER 1

SPECIFICATIONS

SIZE: 47.5" X 82.6875"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 6"

82.6875"

VISUAL AREA

24

47.5"

6" BLEED

TIGER
SIDEWINDER 2

SPECIFICATIONS

SIZE: 47.5" X 82.6875"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 6"

82.6875"

VISUAL AREA

25

47.5"

6" BLEED

ORBUS


ADVANCE (2-SIDED)

SPECIFICATIONS

SIZE: 31.5" X 30" TO 83.875"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 12"




ORBUS
ORIENT
800

SPECIFICATIONS

SIZE: 31.5" X 83.75"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 8"




ORBUS
ORIENT
920

SPECIFICATIONS

SIZE: 23.5" X 83.75"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 8"




ORBUS
ORIENT
1000

SPECIFICATIONS

SIZE: 39.25" X 83.75"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 8"



ORBUS


BARRACUDA

SPECIFICATIONS

SIZE: 31.5" X 30" TO 83.875"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 12"




30

ORBUS
IMAGINE

SPECIFICATIONS

- SIZE:** 31.5" X 30" TO 83.875"
VISUAL AREA BLEED: .5"
BLEED AT THE BOTTOM: 12"
-



ORBUS

EXCALIBUR

(1 OR 2-SIDED)


SPECIFICATIONS

SINGLE/ DOUBLE-SIDED

SIZE: 31.5" X 29.5" TO 83.35"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 6"



BANNER UP

SPECIFICATIONS

SIZE: 34.65" X 83"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 12"

Full height, 3 pole sections

Visible banner height: 81"

With extension pole, item 89255 = 88"

With extension pole, item 89256 = 96"

With extension pole, item 89257 = 116"

Total banner length: 95"

Mid height, 2 pole sections

Visible banner height: 55"

Total banner length: 69"

Lowest height, 1 pole section

Visible banner height: 29"

Total banner length: 42"

81"

83"

Additional print area

Extra banner material

12" BLEED

34.65"

VISUAL AREA

DRYTAC
BANNER
BUG SERIES

SPECIFICATIONS

BLEED AT THE TOP: 1.1875"

BLEED AT THE BOTTOM: 7.875"

33IN.BUG

PANEL SIZE: 33.4375" X 94.5"

VISUAL AREA: 33.4375" X 85.375"

DESKBUG

PANEL SIZE: 8.6875" X 29.125"

VISUAL AREA: 8.6875" X 20"

BABYBUG


PANEL SIZE: 22.8125" X 68.875"

VISUAL AREA: 22.8125" X 59.8125"

GIANTBUG

PANEL SIZE: 39.375" X 121.25"

VISUAL AREA: 39.375" X 111.4375"



DRYTAC

BANNER BUG SERIES

SPECIFICATIONS

BLEED AT THE TOP: 1.1875"

BLEED AT THE BOTTOM: 7.875"

39IN.BUG

PANEL SIZE: 39.375" X 94.5"

VISUAL AREA: 39.375" X 85.375"

47IN.BUG

PANEL SIZE: 47.25" X 94.5"

VISUAL AREA: 47.25" X 85.375"

59IN.BUG


PANEL SIZE: 59.25" X 94.5"

VISUAL AREA: 59.0625" X 85.375"

72IN.BUG

PANEL SIZE: 70.75" X 94.5"

VISUAL AREA: 70.75" X 85.375"



DRYTAC

THE RETRACTABLE II

.39" BLEED

SPECIFICATIONS


SIZE: 33.5" X 85.5"

VISUAL AREA: 33.5" X 78.875"

VISUAL AREA BLEED: .5"

BLEED AT THE TOP: .39"

BLEED AT THE BOTTOM: 5.9"



MAGIC PAK


SPECIFICATIONS

SIZE: 33.5" X 88"

VISUAL AREA: 33.5" X 79"

VISUAL AREA BLEED: .5"

BLEED AT THE BOTTOM: 9"



24" ECONOMY RETRACTOR (EZR)


SPECIFICATIONS

SIZE: 24" X 78.5"

VISUAL AREA: 22" X 76.5"

BLEED AT THE TOP: .5"

BLEED AT THE BOTTOM: 6"



24" TABLE TOP ECONOMY RETRACTOR (EZR)


SPECIFICATIONS

SIZE: 24" X 35.5"

VISUAL AREA: 22" X 33.5"

BLEED AT THE TOP: .5"

BLEED AT THE BOTTOM: 6"



CREATIVE BANNERS

JUMBO TALL RETRACTOR (EZR)

SPECIFICATIONS

SIZE: 47" X 122.25"

VISUAL AREA: 45" X 116.5"

BLEED AT THE TOP: .5"

BLEED AT THE BOTTOM: 5.25"

.5" BLEED

122.5"

VISUAL AREA

40

5.575" BLEED

47"

OUTPUT Requirements

FILES

Supply *native files*, all *fonts* and any *imports* that are used in your design.

Native files may be InDesign, Illustrator, Photoshop, Quark and eps, tif, jpg or pdf*.

CMYK (swop v2) is the preferred color profile for all output devices except for the Lambda which prefers Adobe RGB (1998).

If *fonts* are not supplied, they need to be turned into outlines (limits editing).

Imports should be vector format for logo files and files created for cut vinyl.

Imports for raster (photo) images should be a minimum of 100dpi at the final print size.

CMYK (swop v2) is the preferred color profile for all output devices except for the Lambda which prefers Adobe RGB (1998).

BLEED REQUIREMENTS

Bleed requirements differ depending on the finished piece, a ¼" bleed on all sides is the recommended minimum.

*When creating pdfs, all fonts should be embedded. This provides the flexibility to edit.



FOR MORE INFORMATION, CONTACT:

8435 Helgerman Court

Gaithersburg, MD 20877

301-990-2666 or

301-230-2023 (Metro)

sales@epicolorspace.com

www.epicolorspace.com